

Compact & Modular Stage Boxes

Stage Box with LK panel male



The compact design and its raised bottom, simplify the use in narrow space allowing the cables to be gathered beneath it. The SB box mounts a LK multipin panel connector for an easy cable disconnection.

Stage box with fan out




The SBF range features SSA cable (individually shielded multi-pair **eurocable**) hard wired to the XLRs into the box and a XLRs fan out on the other end. The individual pairs are protected by Techflex to maintain ultimate flexibility. Use of coloured Techflex allows the easy identification of fan channels.

Stage Box with multipair extension



The SBS range features SSA cable (individually shielded multi-pair **eurocable**), permanently connected to the box with an LK multi-pin connector on the other end.

19" Box with LK panel male



The SP System permits separate IN & OUT channels (by 8 to 64) on Stage by running only one multi-pair cable on the long distance (Stage to Mix). The box is manufactured in 15/10 mild steel.

19" Box with fan out



The SBF range features SSA cable (individually shielded multi-pair **eurocable**) hard wired to the XLRs in the box and an XLRs fan on the other end (available in various input and output combinations). The individual pairs are protected by Techflex to maintain ultimate flexibility. Use of coloured Techflex allows the easy identification of fan channels.

19" Box with 2 LK panel male



The SP2 System is ideal for applications where two devices, generally, mixers are used. It features a second LK multipin chassis connector in parallel, to split and carry the audio lines to the Monitor Mixer (FOH, MON, REC, ...), like in the SP System.



Compact & Modular Stage Boxes

SB Boxes with LK chassis male connector

SB08AN	SB box 8 ch with LK25 chassis male connector
SB08X4AN	SB box 8x4 ch with LK37 chassis male connector
SB12AN	SB box 12 ch with LK37 chassis male connector
SB12X4AN	SB box 12x4 ch with LK54 chassis male connector
SB16X4AN	SB box 16x4 ch with LK85 chassis male connector
SB16X8AN	SB box 16x8 ch with LK85 chassis male connector
SB20X4AN	SB box 20x4 ch with LK85 chassis male connector
SBF08AN*MF3	SB box 8 ch in, with *m SSA eurocable and 8XLR M fan out
SBF08X4AN*MF3	SB box 08x4 ch with *m SSA eurocable and 8XLR M+4XLR F fan out

SB Boxes with LK chassis male connector and cable

SB508AN*M	SB box 8 ch in, with 5m SSA eurocable and LK 25 inline male connector
SB512AN*M	SB box 12 ch in, with 5m SSA eurocable and LK37 inline male connector

* Insert the length required to complete the code.

Box 19'' with LK chassis male connectors

SP12X4AN	Box 19'' - 12x4 ch with LK54 chassis male connector
SP16X4AN	Box 19'' - 16x4 ch with LK85 chassis male connector
SP16X8AN	Box 19'' - 16x8 ch with LK85 chassis male connector
SP20X4AN	Box 19'' - 20x4 ch with LK85 chassis male connector
SP24X4AN	Box 19'' - 24x4 ch with LK85 chassis male connector
SP24X8AN	Box 19'' - 24x8 ch with LK150 chassis male connector
SP28X4AN	Box 19'' - 28x4 ch with LK150 chassis male connector
SP32X8AN	Box 19'' - 32x8 ch with LK150 chassis male connector

Box 19'' with 2xLK chassis male connectors

SP220X4AN	Box 19'' 20X4 ch with 2 LK85 chassis male connectors
SP224X4AN	Box 19'' 24X4 ch with 2 LK85 chassis male connectors
SP228X4AN	Box 19'' 28X4 ch with 2 LK150 chassis male connectors
SP232X8AN	Box 19'' 32X8 ch with 2 LK150 chassis male connectors

SP232X8AN

SB Boxes with XLR fan out and cable

SBF12AN5*F3	SB box 12 ch in, with *m SSA eurocable and 12XLR M fan out
SBF16X4AN*MF3	SB box 16x4 ch with *m SSA eurocable and 16XLR M+4XLR F fan out
SBF16X8AN*MF3	SB box 16x8 ch with *m SSA eurocable and 16XLR M+8XLR F fan out
SBF20X4AN*MF3	SB box 20x4 ch with *m SSA eurocable and 20XLR M+4XLR F fan out

* Insert the length required to complete the code.

19'' Boxes with XLR fan out and cable

SPF12X4AN*MF3	Box 19'' - 12x4 ch with *m SSA eurocable and 12XLR M+4XLR F fan out
SPF16X4AN*MF3	Box 19'' - 16x4 ch with *m SSA eurocable and 16XLR M+4XLR F fan out
SPF20X4AN*MF3	Box 19'' - 20x4 ch with *m SSA eurocable and 20XLR M+4XLR F fan out
SPF24AN*MF3	Box 19'' - 24 ch with *m SSA eurocable and 24XLR M fan out
SPF24X4AN*MF3	Box 19'' - 24x4 ch with *m SSA eurocable and 24XLR M+4XLR F fan out
SPF28X4AN*MF4	Box 19'' - 28x4 ch with *m SSA eurocable and 28XLR M+4 XLR F fan out

* Insert the length required to complete the code.



Stage Boxes

Stage Box
SB ADS BOX with LK Chassis Male Connector
SB2 ADS BOX with 2xLK Chassis Male Connectors
SBS ADS BOX with LK Line Connector and cable
SBF ADS BOX with XLR Fan Out and cable
SP Box 19" with LK Chassis Male Connector
SP2 Box 19" with 2xLK Chassis Male Connectors
SPS Box 19" with LK Line Connector and cable
SPF Box 19" with XLR Fan Out and cable
SBR ADS BOX with LK Chassis Female Connector
SBSR ADS BOX with LK Line Female Connector and cable
SBFR ADS BOX with XLR Fan In and cable
SPR Box 19" with LK Chassis Female Connector
SPSR Box 19" with LK Line Female Connector and cable
SPFR Box 19" with XLR Fan In and cable

Rubberized locking ring
R Black B Blue E Red Y Yellow G Green S Grey O Orange
D Dust Cap
H Mesh eye cable grip
K Mesh cable gland
DK Dust cap + Mesh cable gland
DH Dust cap + Mesh eye cable grip
Rubberized Locking Ring + Dust Cap + Mesh Cable Gland (Gold Pack)
G Black GB Blue GE Red GY Yellow GG Green GS Grey GO Orange
Rubberized Locking Ring + Dust Cap (Regular Pack)
RD Black RB Blue RE Red RY Yellow RG Green RS Grey RO Orange
Rubberized Locking Ring + Mesh Cable Gland (Hard Pack)
HR Black HB Blue HE Red HY Yellow HG Green HS Grey HO Orange
Rubberized Locking Ring + Mesh Cable Gland Grip (Light Pack)
LR Black LB Blue LE Red LY Yellow LG Green LS Grey LO Orange
Rubberized Locking Ring + Mesh Cable Gland + Mesh Cable Gland Grip (Silver Pack)
SR Black SB Blue SE Red SY Yellow SG Green SS Grey SO Orange
Rubberized Locking Ring + Dust Cap + Mesh Cable Gland + Mesh Cable Gland Grip (Platinum Pack)
PR Black PB Blue PE Red PY Yellow PG Green PS Grey

SPF 16x4 A N 30 M F3

Connector Type
08 8 pairs
04x4 8 pairs [4x4]
12 12 pairs
08x4 12 pairs [8x4]
16 16 pairs
08x8 16 pairs [8x8]
12x4 16 pairs [12x4]
20 20 pairs
12x8 20 pairs [12x8]
16x4 20 pairs [16x4]
24 24 pairs
16x8 24 pairs [16x8]
20x4 24 pairs [20x4]
28 28 pairs
20x8 28 pairs [20x8]
24x4 28 pairs [24x4]
32 32 pairs
24x8 32 pairs [24x8]
28x4 32 pairs [28x4]
40 40 pairs
28x12 40 pairs [28x12]
32x8 40 pairs [32x8]
6 6RJ45
2 2RJ45+2XLR
6 2RJ45+6XLR
12 2RJ45+12XLR
24 2RJ45+24XLR

Cable Series
A LKSSA
S LKSS
O LKSSS
D LKSSAD
U LKSSAD+UTP
E LKSSA+UTP
H 2CAT6AD
C 6CAT6

XLR Type
N Neutrik Nickel/silver
P Neutrik Black/silver
B Neutrik Black/gold
A Amphenol Nickel/silver
G Amphenol Nickel/gold
S Amphenol Black/silver
U Amphenol Black/gold

Unit Measure
Empty Feet
M Meters

Cable Length		
1 1	55	55
2 2	60	60
3 3	65	65
4 4	70	70
5 5	75	75
6 6	80	80
7 7	85	85
8 8	90	90
9 9	95	95
10 10	100	100
15 15	125	125
20 20	150	150
25 25	175	175
30 30	200	200
35 35	225	225
40 40	250	250
45 45	275	275
50 50	300	300

FAN Length
F1 1 Ft or 30 cm
F2 2 Ft or 60 cm
F3 3 Ft or 90 cm
F4 4 Ft or 120 cm
F5 5 Ft or 150 cm
F6 6 Ft or 180 cm
E1 1 Ft or 30 cm w/etherCON
E2 2 Ft or 30 cm w/etherCON
E3 3 Ft or 90 cm w/etherCON
E4 4 Ft or 120 cm w/etherCON
E5 5 Ft or 150 cm w/etherCON
E6 6 Ft or 180 cm w/etherCON



This expanded version of the stage box has a permanently connected multi-pair **eurocable** and is available in various input and output combinations.